

tol Int. 2017 Mar;37(3):409-421. doi: 10.1007/s00296-016-3603-3. Epub 2016 Nov 11. Review. PubMed PMID: 27837263.

21. Masiero S, Poli P, Bonaldo L et al. Supervised training and home-based rehabilitation in patients with stabilized ankylosing spondylitis on TNF inhibitor treatment: a controlled clinical trial with a 12-month follow-up. Clin Rehabil. 2014 Jun;28(6):562-72. doi: 10.1177/0269215513512214. Epub 2013 Nov 27. PubMed PMID: 24285801.
22. Regnaud JP, Davergne T, Palazzo C et al. Exercise programmes for ankylosing spondylitis. Cochrane Database Syst Rev. 2019 Oct 2;10:CD011321. doi: 10.1002/14651858.CD011321.pub2. Review. PubMed PMID: 31578051; PubMed Central PMCID: PMC6774752.
23. Jennings F, Oliveira HA, de Souza MC et al. Effects of Aerobic Training in Patients with Ankylosing Spondylitis. J Rheumatol. 2015 Dec;42(12):2347-2353. doi: 10.3899/jrheum.150518. Epub 2015 Nov 1. PubMed PMID: 26523029.
24. Pécourneau V, Degboé Y, Barnetteche T et al. Effectiveness of Exercise Programs in Ankylosing Spondylitis: A Meta-Analysis of Randomized Controlled Trials. Arch Phys Med Rehabil. 2018 Feb;99(2):383-389.e1. doi: 10.1016/j.apmr.2017.07.015. Epub 2017 Aug 30. Review. PubMed PMID: 28860095.
25. Sveaas SH, Dagfinrud H, Johansen MW et al. Beneficial long-term effect on leisure time physical activity level in individuals with axial spondyloarthritis: secondary analysis of a randomized controlled trial. J Rheumatol. 2019 Nov 15. pii: jrheum.190317. doi:10.3899/jrheum.190317. [Epub ahead of print] PubMed PMID: 31732552.
26. Čelko J, Gúth A. Adaptácia na hypertermálne podnety pôsobí cytoprotektívne. Rehabilitácia, Vol. 56. No.1 2019 ISSN 0375-0922
27. Čelko J, Gúth A. Hypertermálne procedúry ako súčasť prevencie kardiovaskulárnych ochorení. Rehabilitácia, Vol. 54. No.1 2017 ISSN 0375-0922
28. Liang Z, Fu C, Zhang Q, Xiong F et al. Effects of water therapy on disease activity, functional capacity, spinal mobility and severity of pain in patients with ankylosing spondylitis: a systematic review and meta-analysis. Disabil Rehabil. 2019 Jul 29;1-8. doi:10.1080/09638288.2019.1645218. [Epub ahead of print] PubMed PMID: 31355676.
29. Zão A, Cantista P. The role of land and aquatic exercise in ankylosing spondylitis: a systematic review. Rheumatol Int. 2017 Dec;37(12):1979-1990. doi: 10.1007/s00296-017-3829-8. Epub 2017 Oct 5. Review. PubMed PMID: 28983663.
30. Fernández García R, Sánchez Sánchez Lde C et al. Effects of an exercise and relaxation aquatic program in patients with spondyloarthritis: A randomized trial. Med Clin (Barc). 2011 Nov 6;145(9):380-384. doi: 10.1016/j.medcli.2014.10.015. Epub 2015 Jan Spanish. PubMed PMID: 25639496.

31. Sveaas SH, Bilberg A, Berg U et al. High intensity exercise for 3 months reduces disease activity in axial spondyloarthritis (axSpA): a multicentre randomised trial of 100 patients British Journal of Sports Medicine Published Online First: 11 February 2019. doi: 10.1136/bjsports-2018-099943
32. Rosu OM, Ancuta C. McKenzie training in patients with early stages of ankylosing spondylitis: results of a 24-week controlled study. Eur J Phys Rehabil Med. 2015 Jun;51(3):261-268. Epub 2014 Oct 31. PubMed PMID: 25358635.
33. Roşu MO, Ţopa I, Chirieac R et al. and Heckscher training on disease activity, spinal motility and pulmonary function in patients with ankylosing spondylitis: a randomized controlled trial. Rheumatol Int. 2014 Mar;34(3):367-372. doi: 10.1007/s00296-013-2869-y. Epub 2013 Sep 26. PubMed PMID: 24071935
34. Levitova A, Hulejova H, Spiritovic M. Clinical improvement and reduction in serum calprotectin levels after an intensive exercise programme for patients with ankylosing spondyloarthritis and non-radiographic axial spondyloarthritis. Arthritis Res Ther. 2016 Nov 25;18(1):275. PubMed PMID: 27887637; PubMed Central PMCID: PMC5124318.
35. Rodríguez-López ES, Garnacho-Garnacho VE, Guodemar-Pérez J et al. Year of Pilates Training for Ankylosing Spondylitis: A Pilot Study. J Altern Complement Med. 2019 Oct;25(10):1054-1061. doi: 10.1089/acm.2018.0405. Epub 2019 Aug 9. PubMed PMID: 31397578.
36. Gunay SM, Keser I, Bicer ZT. The effects of balance and postural stability exercises on spa based rehabilitation programme in patients with ankylosing spondylitis. J Back Musculoskelet Rehabil. 2018;31(2):337-346. doi: 10.3233/BMR-169755. PubMed PMID: 28946534.
37. Romanowski MW, Straburzyńska-Lupa A. Is the whole-body cryotherapy a beneficial supplement to exercise therapy for patients with ankylosing spondylitis? J Back Musculoskelet Rehabil. 2019 Sep 20. doi: 10.3233/BMR-170978. [Epub ahead of print] PubMed PMID: 31594196
38. Sun YY, Cui HJ, Dong JN et al. Randomized, Controlled Trial: Efficacy of Ultrasound and Exercise in Patients With Ankylosing Spondylitis. Altern Ther Health Med. 2018 Jul;24(4):30-34. PubMed PMID: 29477133.
39. Basakci Calik B, Gur Kabul E, Taskin H et al. The efficiency of inspiratory muscle training in patients with ankylosing spondylitis. Rheumatol Int. 2018 Sep;38(9):1713-1720. doi:10.1007/s00296-018-4093-2. Epub 2018 Jun 25. PubMed PMID: 29943207.
40. Ramiro S, Stolwijk C, van Tubergen A et al. Evolution of radiographic damage in ankylosing spondylitis: a 12 year prospective follow-up of the OASIS study [published correction appears in Ann Rheum, Dis. 2015 Jul;74(7):1482]. Ann Rheum, Dis. 2015;74(1):52-59. doi:10.1136/annrheumdis-2013-204055

Rádi vám pomáháme v on-line vzdělávání

42

on-line kurzů a kongresů

229

přednášek

3418

vydaných certifikátů

10 673

účastníků

