

LITERATURA

1. Wikipedia. Erythrocyte sedimentation rate. Available from: www.en.wikipedia.org/wiki/erythrocyte_sedimentation_rate
2. Cherney K, Goodwin M. Erythrocyte sedimentation rate test (ESR test). Available from: www.healthline.com/health/esr
3. MedlinePlus. Erythrocyte sedimentation rate (ESR). Available from: www.medlineplus.gov/lab-tests/erythrocyte-sedimentation-rate-esr/
4. Lukáš K, Žák A. Chorobné znaky a příznaky, diferenciální diagnostika. 1. vyd. Grada: Praha 2014. ISBN 978-80-247-5067-5.
5. Bobek K et al. Základy diferenciální diagnostiky vnitřních nemocí. 1. vyd. Státní zdravotnické nakladatelství: Praha 1963. ISBN 08-061-63.
6. Bitik B, Mercan R, Tufan A, et al. Differential diagnosis of elevated erythrocyte sedimentation rate and C-reactive protein levels: a rheumatology perspective. *Eur J Rheumatol.* 2015; 2:131-134.
7. Tishkowsky K, Gupta V. Erythrocyte sedimentation rate. Available from: www.ncbi.nlm.nih.gov/books/NBK557485/
8. Testing. Com. Erythrocyte sedimentation rate (ESR). Available from: www.testing.com/tests/erythrocyte-sedimentation-rate-esr/
9. Reference method for the erythrocyte sedimentation rate (ESR) test on human blood. *Br J Haematol.* 1973;24:671-673. Available from: [PubMed 4732536](http://pubmed.ncbi.nlm.nih.gov/4732536/).
10. Harrison M. Erythrocyte sedimentation rate and C-reactive protein. *Aust Prescr.* 2015;38:93-94. Available from: [PubMed: 26648629](http://pubmed.ncbi.nlm.nih.gov/26648629/).
11. Kratz A, Plebani M, Peng M et al. International Council for standardization in haematology (ICSH). ICSH recommendations for modified and alternate methods measuring the erythrocyte sedimentation rate. *Int J Lab Hematol.* 2017;39:448-457. Available from: [PubMed: 28497537](http://pubmed.ncbi.nlm.nih.gov/28497537/).
12. Kushner I. Acute phase reactants Available from: [www.uptodate.com. UpToDate 2022](http://www.uptodate.com/UpToDate/2022).
13. Lawrence JS. Sources of error in the erythrocyte sedimentation rate. *Ann Rheum Dis.* 1953;12:206-211. Available from: [PubMed:13105212](http://pubmed.ncbi.nlm.nih.gov/13105212/).
14. Plebani M, De Toni S, Sanzari MC, et al. The TEST 1 automated system: a new method for measuring the erythrocyte sedimentation rate. *Am J Clin Pathol* 1998;110:334-340. Available from: [PubMed: 9728608](http://pubmed.ncbi.nlm.nih.gov/9728608/).
15. Valkus M, Straňáková L. Stanovení rychlosti sedimentace erytrocytů na analyzátoru ALCOR ISED. *Bulliten FONS,* 4/2020.
16. Lapić I, Piva E, Spolaore F, et al. Automated measurement of the erythrocyte sedimentation rate: method validation and comparison. *Clin Chem Lab Med.* 2019;57:1364-1373. Available from: [PubMed: 30939112](http://pubmed.ncbi.nlm.nih.gov/30939112/).
17. Zlonis M. The mystique of the erythrocyte sedimentation rate. A reappraisal of one of the oldest laboratory tests still in use. *Clin Lab Med.* 1993;13:787-800. Available from: [PubMed:8313681](http://pubmed.ncbi.nlm.nih.gov/8313681/).
18. Gilmour D, Sykes AJ. Westergren and Wintrobe methods of estimating ESR compared. *Brit Med J.* 1951;2:1496-1497. Available from: [PubMed: 14886634](http://pubmed.ncbi.nlm.nih.gov/14886634/).
19. Miller A, Green M, Robinson D. Simple rule for calculation normal erythrocyte sedimentation rate. *Brit Med J* 1983; 286 (6361):266, doi:10.1136/bmj.286.6361.266
20. Bray C, Bell LN, Liang H, et al. Erythrocyte sedimentation rate and C-reactive protein measurements and their relevance in clinical medicine. *WMJ* 2016;115:317-321. www.wisconsinmedicalsociety.org/_WMS/publications/wmj/pdf/115/6/317.pdf.
21. Sidore C, Busonero F, Maschio A, et al. Genome sequencing elucidates Sardinian genetic architecture and augments association analyses for lipid and blood inflammatory markers. *Nature Genetics.* 2015;47:1272-1281. doi:10.1038/ng.3368
22. Orr CK, Najm A, Young F, et al. The utility and limitations of CRP, ESR and DAS28-CRP in appraising disease activity in rheumatoid arthritis. *Front Med (Lausanne)* 2018;5:185. Available from: [PubMed 30123796](http://pubmed.ncbi.nlm.nih.gov/30123796/).
23. Saleh A, George J, Faour M, et al. Serum biomarkers in periprosthetic joint infections. *Bone Joint Res.* 2018;7:85-93. Available from: [PubMed:29363518](http://pubmed.ncbi.nlm.nih.gov/29363518/).
24. Taylor PC, Deleuran B. Biologic markers in the diagnosis and assessment of rheumatoid arthritis. Available from: [www.uptodate.com, UpToDate 2022](http://www.uptodate.com/UpToDate/2022).
25. Mandl LA. Clinical manifestations and diagnosis of adult-onset Still's disease. Available from: [www.uptodate.com, UpToDate 2022](http://www.uptodate.com/UpToDate/2022).
26. Shmerling RH. Evaluation of the adult with polyarticular pain. Available from: [www.uptodate.com, UpToDate 2022](http://www.uptodate.com/UpToDate/2022).
27. Fincher RM, Page MI. Clinical significance of extreme elevation of the erythrocyte sedimentation rate. *Arch Intern Med.* 1986;146:1581-1583. Available from: [PubMed: 3729639](http://pubmed.ncbi.nlm.nih.gov/3729639/).
28. Lluberas-Acosta G, Schumacher HR. Markedly elevated erythrocyte sedimentation rates: consideration of clinical implications in a hospital population. *Brit J Clin Pract.* 1996;50:138-142. Available from: [PubMed: 8733332](http://pubmed.ncbi.nlm.nih.gov/8733332/).
29. Salvarani C, Muratore F. Clinical manifestations and diagnosis of polymyalgia rheumatica. Available from: [www.uptodate.com, UpToDate 2022](http://www.uptodate.com/UpToDate/2022).
30. Yayan J. Erythrocyte sedimentation rate as a marker for coronary disease. *Vasc Health Risk Manag.* 2012;8:219-223. Available from: [PubMed: 22536077](http://pubmed.ncbi.nlm.nih.gov/22536077/).
31. Chamorro A, Vila N, Ascaso C, et al. Early prediction of stroke severity. Role of the erythrocyte sedimentation rate. *Stroke* 1995;26:573-576. Available from: [PubMed: 7709399](http://pubmed.ncbi.nlm.nih.gov/7709399/).
32. Alende-Castro V, Alonso-Sampedro M, Vasquez-Temprano N, et al. Factors influencing erythrocyte sedimentation rate in adults: New evidence for an old test. *Medicine (Baltimore)* 2019;98:e16816. Available from: [PubMed: 31441853](http://pubmed.ncbi.nlm.nih.gov/31441853/).
33. Hegg R, Lee AG, Tagg NT, et al. Statin or nonsteroidal anti-inflammatory drug use is associated with lower erythrocyte sedimentation rate in patients with giant cell arteritis. *J Neuroophthalmol.* 2011;31:135-138. Available from: [PubMed:21358421](http://pubmed.ncbi.nlm.nih.gov/21358421/).
34. Ščudla V, Horák P, Karásek D, et al. Základy diferenciální diagnostiky ve vnitřním lékařství. 1. vyd. Univerzita Palackého: Olomouc 2022, ISBN – 978-80-244-5957-8.
35. Litao MK, Kamat D. Erythrocyte sedimentation rate and C-reactive protein: how best to use them in clinical practice. *Pediatr Ann,* 2014;43:417-420.
36. Enochsson H, Sjawal Ch, Skogh T, et al. Interferon I +- mediates suppression of C-reactive protein: explanation for muted C-reactive protein response in lupus flares? *Arthr Rheum.* 2009;60:3755-3760.
37. Meisner M. Update on procalcitonin measurements. *Ann Lab Med.* 2014;34:263-273. doi:10.3343/alm.2014. 34. 4263. Available from: www.ncbi.nlm.nih.gov/pmc/articles/PMC4071182/.
38. Simon L, Gauvin F, Amre DK, et al. Serum procalcitonin and C-reactive protein levels as markers of bacterial infection: A systematic review and meta-analysis. *Clin Inf Disease* 2004;39:206-217. Available from: <https://doi.org/10.1086/421997>.



FACEBOOK

<https://www.facebook.com/SolenMedicalEducation/>

@SolenMedicalEducation



TWITTER

<https://twitter.com/MedicalSolen>

@MedicalSolen



LINKEDIN

<https://www.linkedin.com/company/solen-medical-education/>

#solenmedicaleducation

» ODEMČENÉ **AKTUÁLNÍ ČLÁNKY**» **PŘEHLED** O VZDĚLÁVACÍCH AKCÍCH» UPOZORNĚNÍ NA **ZVÝHODNĚNÉ CENY**» **SOUTĚŽE** O VSTUPENKY NA KONGRESY» INFORMACE O **ON-LINE KURZECH**» NOVINKY V **E-SHOPU**

... a mnoho dalšího

... **nenechte si ujít aktuální informace**
o možnostech medicínského vzdělávání