

Antifibrinolytiká

Keďže supresia endogénnej fibrinolýzy je najčastejšou zmenou fibrinolýzy pri DIC vyvolanom sepsou, použitie antifibrinolytík (kyselina tranexamová) sa u týchto pacientov vo všeobecnosti neodporúča (42, 60).

Záver

Diseminovaná intravaskulárna koagulácia je život ohrozujúca komplikácia charakterizovaná systémovou aktiváciou koagulácie vznikajú

úca ako častá komplikácia sepsy. Je spojená s potlačením fibrinolýzy, ktorá môže ľahko progredovať do dysfunkcie a zlyhania viacerých orgánov, čo vyvoláva potrebu včasnej diagnostiky a intervencie. Na tento účel bolo navrhnutých niekoľko súborov kritérií, z ktorých v súčasnosti dominuje sekvenčná diagnostika pomocou kritérií SIC a manifestnej DIC. Táto stratégia umožňuje posúdenie závažnosti stavu každého pacienta, od ktorého sa odvíja charakter liečby. Tá je však napriek pokrokom vo výskume patofyziológie rozporuplná a vyžaduje ďalšie štúdie.

LITERATÚRA

- Singer M, Deutschman CS, Seymour CW, et al. The Third International Consensus definitions for sepsis and septic shock (sepsis-3). *JAMA*. 2016;315:801-810.
- The Brussels Sepsis Resolution. Global Sepsis Alliance, Brussels, March 20th, 2018.
- Howell MD, Davis AM. Management of sepsis and septic shock. *JAMA*. 2017;317:847-8.
- Engelmann B, Massberg S. Thrombosis as an intravascular effector of innate immunity. *Nat Rev Immunol*. 2013;13(01):34-45.
- Martinod K, Deppermann C. Immunothrombosis and thromboinflammation in host defense and disease. *Platelets*. 2021;32(3):314-324.
- Taylor FB, Toh CH, Hoots WK, Wada H, Levi M, et al. Towards definition, clinical and laboratory criteria, and a scoring system for disseminated intravascular coagulation. *Thromb Haemost*. 2001;86:1327-30.
- Iba T, Nisio MD, Levy JH, Kitamura N, Thachil J. New criteria for sepsis-induced coagulopathy (SIC) following the revised sepsis definition: a retrospective analysis of a nationwide survey. *BMJ Open*. 2017;7:e017046.
- Iba T, Helms J, Connors JM, Levy JH. The pathophysiology, diagnosis, and management of sepsis-associated disseminated intravascular coagulation. *J Intensive Care*. 2023; 11(1):24.
- Gando S, Fujishima S, Saitoh D, Shiraiishi A, et al. The significance of disseminated intravascular coagulation on multiple organ dysfunction during the early stage of acute respiratory distress syndrome. *Thromb Res*. 2020;191:15-21.
- Iba T, Connors JM, Nagaoka I, Levy JH. Recent advances in the research and management of sepsis-associated DIC. *International Journal of Hematology*. 2021;113:24-33.
- Futosi K, Fodor S, Mócsai A. Neutrophil cell surface receptors and their intracellular signal transduction pathways. *Int Immunopharmacol*. 2013;17(3):638-50.
- Iba T, Levi M, Levy JH. Intracellular communication and immunothrombosis in sepsis. *J Thromb Haemost*. 2022;20(11):2475-84.
- Salomão R, Martins PS, Brunialti MK, et al. TLR signaling pathway in patients with sepsis. *Shock*. 2008;30(Suppl 1):73-7.
- Liaw PC, Ito T, Iba T, Thachil J, Zeerleder S. DAMP and DIC: the role of extracellular DNA and DNA-binding proteins in the pathogenesis of DIC. *Blood Rev*. 2016;30(04):257-261.
- Gould TJ, Lysov S, Zwystun LL, et al. Canadian Critical Care Translational Biology Group. Extracellular histones increase tissue factor activity and enhance thrombin generation by human blood monocytes. *Shock*. 2016;46(6):655-62.
- Pérez-Figueroa E, Álvarez-Carrasco P, Ortega E, Maldonado-Bernal C. Neutrophils: many ways to die. *Front Immunol*. 2021;12:631821.
- Bonaventura A, Liberale L, Carbone F, et al. The Pathophysiological Role of Neutrophil Extracellular Traps in Inflammatory Diseases. *Thromb Haemost*. 2018;118(1):6-27.
- Skendros P, Mitsios A, Chrysanthopoulou A, et al. Complement and tissue factor-enriched neutrophil extracellular traps are key drivers in COVID-19 immunothrombosis. *J Clin Invest*. 2020; 130(11):6151-6157.
- Assinger A, Schrottmaier WC, Salzmann M, Rayes J. Platelets in sepsis: an update on experimental models and clinical data. *Front Immunol*. 2019;10:1687.
- José RJ, Williams AE, Mercer PF, Sulikowski MG, Brown JS, Chambers RC. Regulation of neutrophilic inflammation by proteinase-activated receptor 1 during bacterial pulmonary infection. *J Immunol*. 2015;194(12):6024-34.
- Joffe J, Hellman J, Ince C, Ait-Oufella H. Endothelial responses in sepsis. *Am J Respir Crit Care Med*. 2020;202(3):361-70.
- Ito T, Kakuuchi M, Maruyama I. Endotheliopathy in septic conditions: mechanistic insight into intravascular coagulation. *Crit Care*. 2021;25(1):95.
- Jamal M, Bangash HI, Habiba M et al. Immune dysregulation and system pathology in COVID-19. *Virulence*. 2021;12(1):918-936.
- Bitker L, Burrell LM. Classic and nonclassic renin-angiotensin systems in the critically ill. *Crit Care Clin*. 2019;35(2):213-27.
- Higgins SJ, De Ceunynck K, Kellum JA, et al. Tie2 protects the vasculature against thrombus formation in systemic inflammation. *J Clin Invest*. 2018;128(4):1471-84.
- Novotný J, Penka M. Poruchy hemostázy u sepsy. *Vnitř Lék*. 2012;58(6):439-447.
- Taylor FB, Toh CH, Hoots WK, et al. Towards definition, clinical and laboratory criteria, and a scoring system for disseminated intravascular coagulation. *Thromb Haemost*. 2001;86:1327-30.
- Gando S, Iba T, Eguchi Y, Ohtomo Y, et al. A multicenter, prospective validation of disseminated intravascular coagulation diagnostic criteria for critically ill patients: comparing current criteria. *Crit Care Med*. 2006;34:625-31.
- Singh RK, Baronia AK, Sahoo JN, et al. Prospective comparison of new Japanese Association for Acute Medicine (JAAM) DIC and International Society of Thrombosis and Hemostasis (ISTH) DIC score in critically ill septic patients. *Thromb Res*. 2012;129:e119-25.
- Schmitt FCF, Manolov V, Morgenstern J, et al. Acute fibrinolysis shutdown occurs early in septic shock and is associated with increased morbidity and mortality: results of an observational pilot study. *Ann Intensive Care*. 2019;9:19.
- Iba T, Di Nisio M, Thachil J, Wada H, Asakura H, Sato K, et al. A Proposal of the Modification of Japanese Society on Thrombosis and Hemostasis (JSTH) Disseminated Intravascular Coagulation (DIC) Diagnostic Criteria for Sepsis-Associated DIC. *Clin Appl Thromb Hemost*. 2018;24:439-45.
- Iba T, Levy JH, Warkentin TE, et al. Diagnosis and management of sepsis-induced coagulopathy and disseminated intravascular coagulation. *J Thromb Haemost*. 2019;17:1989-1994.
- Iba T, Levy JH, Yamakawa K, et al. Proposal of a two-step process for the diagnosis of sepsis-induced disseminated intravascular coagulation. *J Thromb Haemost*. 2019;17:1265-68.
- Zou ZY, Huang JJ, Luan YY, et al. Early prophylactic anticoagulation with heparin alleviates mortality in critically ill patients with sepsis: a retrospective analysis from the MIMIC-IV database. *Burns Trauma*. 2022;10:029.
- Iba T, Levi M, Levy JH. Sepsis-Induced Coagulopathy and Disseminated Intravascular Coagulation. *Semin Thromb Hemost*. 2020;46:89-95.
- Iba T, Levy JH, Connors JM, Warkentin TE, Thachil J, Levi M. The unique characteristics of COVID-19 coagulopathy. *Crit Care*. 2020;24:360
- Iba T. et al. Sepsis-associated disseminated intravascular coagulation and its differential diagnoses. *Journal of Intensive Care*. 2019;4:32.
- Yamakawa K, Yoshimura J, Ito T, et al. External validation of the two newly proposed criteria for assessing coagulopathy in sepsis. *Thromb Haemost*. 2019;119(2):203-12.
- Wang B, Zhang B, Shen Y, et al. Validation of two revised, simplified criteria for assessing sepsis-associated disseminated intravascular coagulation in ICU patients with sepsis-3: a retrospective study. *Lab Med*. 2022; 54(3):291-298.
- Lu Z, Zhang J, Hong J, Wu J, et al. Development of a nomogram to predict 28-day mortality of patients with sepsis-induced coagulopathy: an analysis of the MIMIC-III database. *Front Med*. 2021;8:661710.
- Rabinovich A, Abdul-Kadir R, Thachil J, et al. DIC in obstetrics: diagnostic score, highlights in management, and international registry-communication from the DIC and Women's Health SSCs of the International Society of Thrombosis and Hemostasis. *J Thromb Haemost*. 2019;17:1562-6.
- Adelborg K, Larsen JB, Hvas A-M. Disseminated intravascular coagulation: epidemiology, biomarkers, and management. *British Journal of Haematology*. 2021;9:803-818.
- Squizzato A, Hunt BJ, Kinasevitz GT, et al. Supportive management strategies for disseminated intravascular coagulation. An international consensus. *Thromb Haemost*. 2016;115:896-904.
- Fu S, Yu S, Wang L, Ma X, Li X. Unfractionated heparin improves the clinical efficacy in adult sepsis patients: a systematic review and meta-analysis. *Anesthesiol*. 2022;22(1):28.
- Omidkhoda N, Abedi F, Ghavami V, et al. The effect of heparin and its preparations on disseminated intravascular coagulation mortality and hospitalization: a systematic review. *Int J Clin Pract*. 2022; 2022:2226761.
- Fan Y, Jiang M, Gong D, Zou C. Efficacy and safety of low-molecularweight heparin in patients with sepsis: a meta-analysis of randomized controlled trials. *Sci Rep*. 2016;6:25984.
- Becker BF, Jacob M, Leipert S, Salmon AH, Chappell D. Degradation of the endothelial glycocalyx in clinical settings: searching for the sheddases. *Br J Clin Pharmacol*. 2015;80(03):389-402.