

nost si zaslouží ERAS u pacientů se specifickými komorbiditami, kteří mohou mít potenciálně složitější perioperační průběh, jako jsou pacienti s diabetem, kardiovaskulárními a psychiatrickými komorbiditami.

S dobře zdokumentovaným účinkem ERAS na snížení perioperačního stresu lze očekávat, že přínos ve smyslu snížení perioperační morbidity bude zvláště patrný u těchto skupin pacientů.

LITERATURA

- Satinský I, Hrubý M, Šrámková P, et al. Praktické klinické doporučení pro perioperační péči v bariatrické chirurgii 2023. *Rozh Chir.* 2023;102:283-297. doi:10.33699/PIS2023.102.7.283-297.
- Angrisani L, Santonicola A, Iovino P, et al. IFSO Worldwide survey 2016: primary, endoluminal, and revisional procedures. *Obes Surg.* 2018;28(12):3783-3794. doi:10.1007/s11696-018-3450-2.
- Parisi A, Desiderio J, Ciocchi R, Trastulli S. Enhanced recovery after surgery (ERAS): a systematic review of randomised controlled trials (RCTs) in bariatric surgery. *Obes Surg.* 2020;30(12):5071-5085. doi: 10.1007/s11696-020-05000-6.
- Geubbels N, Evren I, Acherman YIZ, et al. Randomized clinical trial of an enhanced recovery after surgery programme versus conventional care in laparoscopic Roux-en-Y gastric bypass surgery. *BJs Open.* 2019;3(3):274-281. doi:10.1002/bjs5.50143.
- Thorell A, MacCormick AD, Awad S, et al. Guidelines for perioperative care in bariatric surgery: enhanced recovery after surgery (ERAS) society recommendations. *World J Surg.* 2016;40(9):2065-2083. doi:10.1007/s00268-016-3492-3.
- Stenberg E, Falcão LF, O'Kane M, et al. Guidelines for Perioperative Care in Bariatric Surgery: Enhances Recovery After Surgery (ERAS) Society Recommendations: A 2021 Update. *World J Surg.* 2022; 46(4): 729-751. doi:10.1007/s00268-021-06394-9
- Guyatt GH, Oxman AD, Kunz R, et al. Going from evidence to recommendations. *BMJ.* 2008;336(7652):1049-1051. doi:10.1136/bmj39493.6468.AE.
- Guyatt GH, Oxman AD, Kunz R, Vist GE, Falck-Ytter Y, Schünemann HJ. What is "quality of evidence" and why is it important to clinicians? *BMJ.* 2008;336(7651):995-998. doi:10.1136/bmj.39490.511019.BE.
- German Association of the Scientific Medical Societies (AWMF) – Standing Guidelines Commission. AWMF guideline manual and rules for guideline development. 1st ed. 2012 English version: <http://www.awmf.org/leitlinien/awmf-regelwerk.html>
- Mechanick JL, Apovian C, Brethauer S, et al. Clinical practice guidelines for the perioperative nutrition, metabolic, and nonsurgical support of patients undergoing bariatric procedures - 2019 update: cosponsored by american association of clinical endocrinologists/american college of endocrinology, the obesity society, american society for metabolic & bariatric surgery, obesity medicine association, and american society of anesthesiologists - executive summary. *Endocr Pract.* 2019;25(12):1346-1359. doi: 10.4158/GL-2019-0406.
- NIH conference (1991) Gastrointestinal surgery for severe obesity. Consensus Development Conference Panel. *Ann Intern Med.* 115(12):956-961 [PubMed]
- NICE. Obesity: identification, assessment and management. Published 2014. Accessed at www.nice.org.uk/guidance/cg189 on May 11, 2021
- Rubino F, Nathan DM, Eckel RH, et al. Metabolic Surgery in the Treatment Algorithm for Type 2 Diabetes: A Joint Statement by International Diabetes Organizations. *Diabetes Care.* 2016;39(6):861-877. doi: 10.2337/dc16-0236.
- Eisenberg D, Shikora SA, Aarts E, et al. 2022 American Society of Metabolic and Bariatric Surgery (ASMBS) and International Federation for the Surgery of Obesity and Metabolic Disorders (IFSO) Indications for Metabolic and Bariatric Surgery. *Surg Obes Relat Dis.* 2022 18(12):1345-1356. doi: 10.1016/j.soard.2022.08.013.
- Šrámková P, Fried M. Antiobezitika před bariatrickou operací a po ní – jak je využít co nejlépe. *Čas. Lék. Čes.* 2022(3-4);161:107-113
- Hughes MJ, Hackney RJ, Lamb PJ, Wigmore SJ, Christopher Deans DA, Skipworth RJE. Prehabilitation before major abdominal surgery: a systematic review and meta-analysis. *World J Surg.* 2019;43(7):1661-1668. doi: 10.1007/s00268-019-04950-y.
- Singh PP, Srinivasa S, Lemanu DP, McCormick AD, Hill AG. Statins in abdominal surgery: a systematic review. *J Am Coll Surg.* 2012;214(3):356-366. doi:10.1016/j.jamcolls.2021.11.008.
- Ljungqvist O, Jonathan E. Rhoads lecture 2011: Insulin resistance and enhanced recovery after surgery. *JPEN J Parenter Enteral Nutr.* 2012;36(4):389-398. doi:10.1177/0148607112445580.
- Gan TJ, Belani KG, Bergese S, et al. Fourth consensus guidelines for the management of postoperative nausea and vomiting. *Anesth Analg.* 2020;131(2):411-448. doi:10.1213/ANE.0000000000004833.
- Bamgbade OA, Oluwole O, Khaw RR. Perioperative antiemetic therapy for fast-track laparoscopic bariatric surgery. *Obes Surg.* 2018;28(5):1296-1301. doi:10.1007/s11695-017-3009-7.
- Reiterer C, Kabon B, Zotti O, Obradovic M, Kurz A, Fleischmann E. Effect of goal-directed crystalloid- versus colloid-based fluid strategy on tissue oxygen tension: a randomised controlled trial. *Br J Anaesth.* 2019;123(6):768-776. doi:10.1016/j.bja.2019.08.027.
- Gero D, Raptis DA, Vleeschouwers W, et al. Defining global benchmarks in bariatric surgery: a retrospective multicenter analysis of minimally invasive roux-en-y gastric bypass and sleeve gastrectomy. *Ann Surg.* 2019;270(5):859-867. doi:10.1097/SLA.00000000000003512.
- Zevin B, Aggarwal R, Grantcharov TP. Volume-outcome association in bariatric surgery: a systematic review. *Ann Surg.* 2012;256(1):60-71. doi:10.1097/SLA.0b013e3182554c68.
- Doumouras AG, Maeda A, Jackson TD. The role of routine abdominal drainage after bariatric surgery: a metabolic and bariatric surgery accreditation and quality improvement program study. *Surg Obes Relat Dis.* 2017;13(12):1997-2003. doi:10.1016/j.soard.2017.08.019.
- Kakkos SK, Caprini JA, Geroulakos G, et al. Combined intermittent pneumatic leg compression and pharmacological prophylaxis for prevention of venous thromboembolism. *Cochrane Database Syst Rev.* 2016;9(9):Cd005258. doi:10.1002/14651858.CD005258.pub3.
- Parrott J, Frank L, Rabena R, Craggs-Dino L, Isom KA, Greiman L. American society for metabolic and bariatric surgery integrated health nutritional guidelines for the surgical weight loss patient 2016 update: micronutrients. *Surg Obes Relat Dis.* 2017;13(5):727-741. doi:10.1016/j.soard.2016.12.018.
- O'Kane M, Parretti HM, Pinkney J, et al. British obesity and metabolic surgery society guidelines on perioperative and postoperative biochemical monitoring and micronutrient replacement for patients undergoing bariatric surgery-2020 update. *Obes Rev.* 2020;21(11):e13087. doi:10.1111/obr.13087.
- Ying VW, Kim SH, Khan KJ, et al. Prophylactic PPI help reduce marginal ulcers after gastric bypass surgery: a systematic review and meta-analysis of cohort studies. *Surg Endosc.* 2015;29(5):1018-1023. doi:10.1007/s00464-014-3794-1.
- Haal S, Gurman MSS, Boerlage TCC, et al. Ursodeoxycholic acid for the prevention of symptomatic gallstone disease after bariatric surgery (UPGRADE): a multicentre, double-blind, randomised, placebo-controlled superiority trial. *Lancet Gastroenterol Hepatol.* 2021;6(12):993-1001. doi: 10.1016/S2468-1253(21)00301-0.
- Tian YL, Cao SG, Liu XD, et al. Short- and long-term outcomes associated with enhanced recovery after surgery protocol vs conventional management in patients undergoing laparoscopic gastrectomy. *World J Gastroenterol.* 2020;26(37):5646-5660. doi:10.3748/wjg.v26.i37.5646.
- Gustafsson UO, Scott MJ, Hubner M, et al. Guidelines for perioperative care in elective colorectal surgery: enhanced recovery after surgery (ERAS) society recommendations: 2018. *World J Surg.* 2019;43(3):659-695. doi:10.1007/s00268-018-4844-y.